
TUFFSTUFF FITNESS INTERNATIONAL

OWNER'S MANUAL Maintenance & Assembly Instructions

IMPORTANT: KEEP THIS MANUAL FOR FUTURE REFERENCE



NOTICE

It is the Purchaser's/Owner's obligation:

- 1. To disclose and post all Rules & Regulations, Danger, Warning and Caution labels affixed on the machine to their customers/users.
- 2. Equipment to be installed by TFI Authorized Dealer or a service company approved by TFI.
- 3. Provide trained personnel, supervision and correct usage of the equipment.
- 4. Provide scheduled inspection, maintenance & repairs and must be performed by TFI Authorized Dealer or a service company approved by TFI.
- 5. Must use only genuine TuffStuff replacement parts.

CSM-600

Basic Smith Machine/Half Cage Combo w/Safety Stoppers


Table of Contents



Overhead Specifications	Page 3
DANGER, WARNING, & CAUTION Labels Information	Page 4-7
Important Safety Instructions	Page 8
Registration, Service & Assembly	Page 9
Inspection/Maintenance	Page 10
Safety Precautions	Page 11-13
Assembly Steps	Page 14-25
Parts List	Page 26-27
Pre-Assembled Components	Page 28-30
Notes	Page 31
WARRANTY	Page 32


TuffStuff Fitness International, Inc. continually engages in research related to product improvements. Please take the time to carefully read through this owner's manual thoroughly. Instructions contained in this owner's manual are not intended to cover all details or variations possible with equipment, or to cover every contingency that may be met in conjunction with assembly, installation, operation, maintenance or troubleshooting of the equipment. Even though we have prepared this owner's manual with extreme care, neither the manufacturer nor the author can accept responsibility for any errors in, or omission from, the information given. Should additional information be required, or should situations arise that are not covered by this owner's manual, the matter should be directed to Customer Service at TuffStuff Fitness International, Inc. in Chino, California.






L 72" X W 80" X H 84" **PRODUCT WEIGHT: 390 lbs** MAX-LOAD WEIGHT LIMIT: 600 lbs Weight Load

Carefully read ALL Danger, Warning & Caution labels posted on the machine





Carefully read ALL Danger, Warning & Caution labels posted on the machine

Bar Catch Safety-Stopper BNH3003

DANGER

48

SECURE BAR CATCH

Make sure it is fully engaged while in use or after use.

SAFETY STOPPER

Must be placed on the top position (as shown).

Failure to do so could cause the bar to drop and results in serious injury or death,

49

▲ DANGER

Use this equipment ONLY for its intended purpose.

If you are unfamiliar with the equipment or procedure, refer to your Owner's Manual or call TuffStuff at 888-884-8275.

Failure to comply could result in serious injury or death.

47

◆ DANGER

SAFETY STOPS must be adjusted to the same height on both sides and set to your range of motion for lowering.

Use spotters/helpers to assist racking the weight. Failure to do so could result in serious injury or death.

46

DANGER

This Safety Stopper Hook MUST BE FULLY ENGAGED prior to performing the exercise.

Failure to do so could cause the Safety Stopper to drop beyond your own capability and result in serious injury or death.

WARNING


Serious injury or death can occur if these rules and precautions are not observed:

- 1. Read and Understand Owner's Manual and all DANGER, WARNING and CAUTION labels before using this equipment. If you still need help, seek assistance from floor personnel
- Obtain a medical exam before beginning any exercise program.
- Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
- 4. Inspect equipment prior to use for wear and tear, loose fittings, worn or frayed cables/belts and frame welds. Do not use if it appears damaged or inoperable.
- 5. Do not attempt to fix or free any jammed parts by yourself. Seek assistance from floor personnel.
- Use this equipment only for the intended use and for exercise(s) shown in the exercise label.
- Keep body, clothing and hair clear from all moving parts.
- Children must not be allowed near this machine. Teenager must be supervised.
- Make sure the selector pin is completely inserted. Use only the selector pin provided by the manufacturer. If difficulty inserting the pin, seek assistance from floor personnel.
- 10. Never pin the weights in an elevated position. Do not use the machine if found in this condition. Inform floor personnel immediately.
- 11. Do not modify selectorized weight stack with any add-on incremental weights or dumbbells, except those with standard factory installed.
- 12. Do not remove labels affixed to the machine. Replace if damaged.

TuffStuff Fitness International Chino, CA 91710, USA

▲WARNING


BAR CATCH ADJUSTMENT



Grasp the knob firmly, lift up slightly and pull to release. Slide to your desired position before releasing knob. Make sure bar catch is securely engaged.

AWARNING

BAR CATCH ADJUSTMENT



Grasp the knob firmly. lift up slightly and pull to release. Slide to your desired position before releasing knob. Make sure bar catch is securely engaged.





▲ WARNING

Keep body, hands and fingers clear of all moving parts.

ATTENTION USERS!

This machine is designed to be used with your hands. **DO NOT perform any** exercises with your feet.

> Failure to do so could result in serious injury or death.





The Smith Press Hooks MUST be FULLY engaged as shown (CORRECT) before and after use, or in storage position.

Failure to comply could result in serious injury or death.

A WARNING



Keep body, hands and fingers clear of all moving parts

Carefully read ALL Danger, Warning & Caution labels posted on the machine

53)

SCHEDULE Replacement Parts

Recommended TuffStuff Parts (replace or as needed)

Upholstery

Foam Rolls

Cables

Rubber Grips

Nylon Handles

Pull-Pins

Plastic Guides

Weight Selector Pin

Abdominal Strap

Use only TuffStuff replacement parts when servicing. Failure to do so will void warranty on product and could result in personal injury.

Adi. Release Handle

Black Caster Wheels

Buckle Seat/Belt Labels (as needed)

TuffStuff Fitness International 13971 Norton Avenue Chino, CA 91710 BNH3135 (50)

IMPORTANT

For smooth performance, clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease.

(51)

IMPORTANT

For smooth performance, lubricate all gliding surfaces with silicone spray lubricant. BNH2916



WARRANTY

LIGHT COMMERCIAL

TEN (10) YEARS:

Frames, welds, cams and weight plates

FIVE (5) YEARS:

 Pivot bearings, pulleys, bushings, gas shocks and guide rods

ONE (1) YEAR:

Belts, linear bearings and pull-pin components

ALL OTHER PARTS not mentioned, one year from the date of delivery to the original purchaser.

SIX (6) MONTHS:

 Upholstery, cables, finish and rubber grips

Light Commercial Use:

Light Commercial warranty applies only to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

Refer to the Owner's Manual for details, assembly & maintenance requirements, review and understand all danger, warning and caution labels.

All warranty periods begin to run from the date of delivery to the original purchaser. The obligation of TuffStuff under this warranty is limited to repairing or replacing warranted defective parts, as TuffStuff may elect, at TuffStuffs facility in Chino, California, without charge to the Purchaser for either parts or labor. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs to and from TuffStuff's facility in Chino. For a detailed copy of the warranty, please contact:

TuffStuff Fitness International Chino, CA 91710, USA www.tuffstuffitness.com BNH3136

52

INSPECTIONS

Recommended Inspection Replace all parts at first signs of wear or damage.	DAILY	WEEKLY	MONTHLY	HLNOW-9	YEARLY
INSPECT: Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.	x				
CLEAN: Upholstery with lanolin-base cleaner. Do not use Windex.	x				
INSPECT: Cables, Belts and tension (adjust if needed).	x				
INSPECT: All labels		X			
INSPECT: All nuts and bolts (tighten if needed).		X			
INSPECT: Accessory bars, handles, rubber grips.		X			
INSPECT: All anti-skid surfaces.		X			
CLEAN & LUBRICATE: Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease.			x		
LUBRICATE: Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.			X		

Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death.

CLEAN & WAX:

REPLACE: Cables & connecting parts.

All powder-coat finishes

TuffStuff Fitness International Chino, CA 91710, USA www.tuffstuffitness.com BNH3137

X



A CAUTION

CHECK

Pull-pin is fully engaged in the hole before use.

43)



(42)

BE ALERT!

THE FITNESS EQUIPMENT IN THIS FACILITY PRESENTS HAZARDS WHICH, IF NOT AVOIDED, COULD CAUSE SERIOUS INJURY OR DEATH.

Prior to using the equipment, READ the warning labels and instruction placards affixed to each machine.

If you are unsure on how to use a machine, seek the assistance of our floor personnel. We will be happy to instruct you on how to use the equipment properly.

Immediately report any piece of equipment that is not functioning properly to our floor personnel so that it may be evaluated and service promptly.

DO NOT ATTEMPT to use or fix any piece of equipment that is not functioning properly.

ASTM F1749-96

TUFFSTUFF FITNESS INTERNATIONAL, CHINO, CA 91710




It is extremely important that the **BE ALERT!** (42) Sign shown to the left be installed in plain view of the unit.

You should have received it along with this Owners Manual. If you did not receive this Sign with your order, you can obtain one at no cost to you from TuffStuff Fitness by contacting our service department at:

1 (888) 884-8275 service@tuffstuff.net service1@tuffstuff.net

Important Safety Instructions





WARNING SERIOUS INJURY OR DEATH CAN OCCUR IF THESE SAFETY PRECAUTIONS ARE NOT OBSERVED:

- 1. Obtain a medical exam before beginning any exercise program.
- Read and understand Owner's Manual and all Danger, Warning and Caution labels before using this equipment. If you still need help, seek assistance from floor personnel.
- 3. **Inspect the equipment** before each use for wear and tear, loose fittings, worn or frayed cables and frame welds. DO NOT USE if it appears to be inoperable or damaged.
- 4. Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
- 5. Use this equipment only for the intended use.
- 6. Keep body, clothing and hair clear from all moving parts. Do not attempt to free any jammed parts by yourself.
- 7. Always warm-up before and cool-down after weight training. Warm-up for 10-15 minutes with stretching and cardiovascular exercises. Cool-down should include light stretching exercises for 5-15 minutes.
- Never hold your breath will limit the flow of oxygen to your brain and may cause dizziness. The most often used breathing pattern is inhaling during least resistance and exhaling during maximum resistance.
- 9. Do not use accessories or accessory attachments that are not recommended by TFI.
- 10. Make sure selector pin is completely inserted. Use only the selector pin provided by the manufacturer.
- 11. Never pin the weights in an elevated position. Do not use the machine if found in this condition.

- 6. Perform regular maintenance (see Inspection Label). Pay special attention to areas most susceptible to wear and tear, including but not limited to cables, pulleys and rubber grips.
- 7. **Do not** lean against or pull on the framework, weight stack or any component at all times.
- 8. **Children must not** be allowed near the equipment. Teenager must be supervised.
- Replace immediately all parts at first sign of wear or damage. If unable to replace worn or damaged components/parts, remove machine from service until the repair is made.
- 10. Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death to the users.
- Do not remove any decals affixed to the machine. Replace if damaged.
- 12. **Do not alter or modify** the original manufacturer's weight stack with any add-on incremental weights, weight plates or dumbbells except those with standard factory installed option.
- 13. Maintain a service contract with a TFI Authorized Dealer or a Professional Service Company approved by TFI. Keep a service log of all maintenance and repair activities. NOTICE: It is the sole responsibility of the owner or facility operator to ensure that regular maintenance is performed.

Facility Safety Guidelines and Practices

- 1. Read and understand the Owner's Manual before assembling, servicing or using the equipment.
- 2. Equipment to be installed by TFI Authorized Dealer or Professional Service Company approved by TFI.
- 3. Make sure each machine is set up and operated on a solid level surface. Do not install equipment on an uneven surface.
- 4. Provide an adequate safety perimeter between the machine, walls and other equipment to ensure that the facility has proper clearance for usage and training.
- 5. Post and disclose all safety, rules and regulations on a bulletin board easily accessible to users.



DANGER: indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.



WARNING: indicates a potentially hazardous situation which, if not avoided, will result in death or serious injury.



CAUTION: indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.

Registration, Service & Assembly

Thank you for purchasing the CSM-600 Basic Smith Machine/Half Cage Combo w/Safety Stoppers. This machine is part of the TuffStuff line of quality strength training equipment. To maximize your use of the equipment, please study the Owner's Manual thoroughly.

Registration

To avoid unnecessary delays on warranty parts and to insure that a permanent record of your purchase is on file with our company, be sure to register online at:

http://www.tuffstuffitness.com or mail to address shown below within 10 days of purchase.

Obtaining Service

Please use this Owner's Manual as your guide to all parts included in your shipment. When ordering parts, you must specify the part number and description from this manual. **Use only genuine TuffStuff replacement parts when servicing the equipment.** Failure to do so will void warranty and could result in serious injury or death.

For information about product operation or service:

Phone: 909-629-1600 Toll Free 888-884-8275

Fax: 909-629-4967

E-mail: service@tuffstuff.net or service1@tuffstuff.net

Hours: M-F 8:00 - 4:30 PST

Or write to: TuffStuff Fitness International, Inc.

Customer Service

13971 Norton Avenue, Chino, CA 91710

Retain this Owner's Manual for future reference when ordering service or parts. To assist you better, please be prepared to provide the following information:

1. Model Number 2. Place of Purchase

3. Serial Number 4. Part # and Description

Required Tools

The basic tools that you will need to assemble the CSM-600 but are not limited to:

- 9/16", 3/4" Combination Wrenches
- Ratchet Wrench with 9/16", 3/4" sockets
- Crescent Adjustable Wrench
- External retaining ring pliers
- Rubber mallet, measuring tape & utility knife
- Super Lube® spray lubricant and grease
- · Windex or household glass cleaner

Assembly Requirements

Follow these installation requirements when assembling the CSM-600. Use the overhead view on the Content Page to layout your floor plan before assembling.

Set up the CSM-600 on a clean, solid, flat surface. A smooth, flat surface under the machine helps keep it level.

Allow ample space around the machine for safe unrestricted use and easier access.

Insert all bolts in the same direction. For aesthetic appearance, insert all bolts in the same direction unless specified (in text or illustration) to do otherwise.

Leave room for adjustments. Do not fully tighten fasteners until instructed in the assembly steps to do so (to prevent any difficulty with alignment of parts during the assembly process). When not instructed, tighten fasteners such as bolts, nuts and screws so the unit is stable, but leave room for adjustments.

Assembly Tips

Read all "Notes" on each page before beginning each step.


While you may be able to assemble the CSM-600 using the illustrations only, IMPORTANT safety notes and other tips are included in the text.

Some pieces may have extra holes that you will not use. Use only those holes indicated in the instructions and illustration.

NOTE: With so many assembled parts, proper alignment and adjustment is critical. While tightening the nuts and bolts, be sure to leave room for final adjustments.

CAUTION: Obtain assistance from TuffStuff if you have difficulty assembling the CSM-600. Please do not attempt to complete the assembly as this could result in equipment failure and serious injuries to the users.

Symbols & Description



Loosely Tighten Loosely Tighten

70% J

Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.

Fully Tighten
Wrench tighten all hardware in this step.

100%

Inspection/Maintenance

Perform regular maintenance (see Inspection Label). Pay special attention to areas most susceptible to wear and tear, including but not limited to cables, pulleys and rubber grip. TFI recommends you maintain a service contract with a TFI Authorized Dealer or a Professional Service Company approved by TFI. Keep a service log of all maintenance and repair activities. Extra copies can be downloaded from our website www.tuffstuffitness.com

						\					
INSPECTIONS						INSPECTION / MAINTENANCE RECORDS					
Recommended		>	۲	王		DATE	REPLACEMENT	REPAIRS	INSPECTED BY		
Inspection	≥	묽	F F	6-MONTH	YEARLY						
Replace all parts at first signs of wear or damage.	DAILY	WE	MONTHLY	№ -9	YEA						
INSPECT: Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.	x										
CLEAN: Upholstery with lanolin-base cleaner. Do not use Windex.	X										
INSPECT: Cables, Belts and tension (adjust if needed).	x										
INSPECT: All labels		X									
INSPECT: All nuts and bolts (tighten if needed).		x									
INSPECT: Accessory bars, handles, rubber grips.		x									
INSPECT: All anti-skid surfaces.		X									
CLEAN & LUBRICATE: Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube®			x								
(PTFE) grease. LUBRICATE:											
Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.			x								
CLEAN & WAX: All powder-coat finishes.				X			WARRANT	Y REPAIRS	Γ		
REPLACE: Cables & connecting parts.					x	DATE	REPLACEMENT	REPAIRS	INSPECTED BY		
Use only genuine TuffSt parts. Failure to do so w and could result in seriou	۱ll ا	oid/	wa	rran	ty						
TuffStuff Fitness In Chino, CA 9171	tern 10, U	atio ISA	nal								

CSM-600

www.tuffstuffitness.com BNH3137

Safety Precautions




Fig. A Illustration above depicts the **Weight Lift Bar** locking mechanism.



2. If you are adding or storing weight plates on the Weight Prongs of the **Press Bar Housings (#14, #15)**, do not over-load them. Allow enough space for weight collars.
(Collars must be purchased separately). See **Fig. B**

1. The Weight Lift Bar Assembly (*20) has a twist locking mechanism that allows you to safely lock out the Weight Lift Bar Assembly (*20)

at virtually any setting. See Fig. A




Fig. B Warning: Use collars to prevent the weight plates from falling off the Weight Prongs.





Fig. C Danger: Check that both Safety Stopper Brackets are fully engaged into the Stopper Prongs.


3. Pay special attention to the Safety Stoppers Brackets (#18, #19). Be sure they are fully engaged into the Stopper Prongs (#85) of the Safety Stopper Posts (#12). Refer to Fig. C for further illustration.



Safety Precautions

NOTE:


WHEN NOT USING THE SMITH PRESS FEATURE, FULLY ENGAGE THE **WEIGHT LIFT BAR ASSEMBLY (*20)** ON HIGHEST WEIGHT **STOPPER PRONGS (#85)** AND THE **SAFETY STOPPER BRACKETS (#18, #19)** RIGHT BELOW, AS SHOWN BELOW.





		Step 1 Assembly List	
Item	Qty.	Description	
*1	1	BOTTOM SIDE FRAME LT ASSEMBLY	
*2	1	BOTTOM SIDE FRAME RT ASSEMBLY	
7	1	BOTTOM CROSS BRACE	
31	4	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X	3/4
35	4	FLAT WASHER SAE Z/P 3/8"	
37	4	SPLIT LOCK WASHER B-Z/P 3/8"	
78	6	NYLON SNAP-IN FINISHING PLUG 3/8"	
4.4		Vanant tuffet iffitaese sem	CNA COA



		Step 2 Assembly List
Item	Qty.	Description
*12	2	SAFETY STOPPER POST ASSEMBLY
30	2	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 3/4
35	4	FLAT WASHER SAE Z/P 3/8"
39	2	NYLON INSERT JAM LOCK NUT Z/P 3/8-16









Note:

Position reference numbers facing toward the inside of the unit.


Note:

Nylon Knobs facing toward the inside of the unit.

	Ste	p 5 Assembly List
Item	Qty.	Description
5	1	SELECTOR POST LT
6	1	SELECTOR POST RT
*8	1	BAR HOLDER LT ASSEMBLY
*9	1	BAR HOLDER RT ASSEMBLY
*10	1	SAFETY STOPPER LT ASSEMBLY
*11	1	SAFETY STOPPER RT ASSEMBLY

Note:

It is strongly recommended that two people participate in this assembly step.





BAR HOLDER



Do not remove cardboard from inside of the **Bar Holders** as it is used to hold the Plastic Glides in place. Slide the **Bar Holders** over the **Selector Posts** and the cardboard will slide out as shown.


(5)

Assembly List
on
R POST LT
R POST RT
CAP SCREW GR-5 Z/P 3/8-16 X 3
HER SAE Z/P 3/8"
SERT JAM LOCK NUT Z/P 3/8-16

Note:

Note:

It is strongly recommended that two



Note:

CSM-600

Some parts have been removed for Clarity.

(35)

Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.


Note:





		Step 7 Assembly List
ltem	Qty.	Description
*3	1	REAR SIDE SUPPORT LT ASSEMBLY
*4	1	REAR SIDE SUPPORT RT ASSEMBLY
26	2	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3 1/2
27	4	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3
29	2	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 1/2
30	2	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 3/4
35	20	FLAT WASHER SAE Z/P 3/8"
39	10	NYLON INSERT JAM LOCK NUT Z/P 3/8-16

Note:

Some parts have been removed for Clarity.







(38)

Note:

Step 10 Assembly List

Qty. Description


*17 2 OLYMPIC ADAPTER 1 X 8 X 3 9/16 AXLE ASSEMBLY
21 1 TOP CROSS BRACE
32 2 HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 4 3/4
33 2 HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2
36 6 FLAT WASHER SAE Z/P 1/2"
38 2 SPLIT LOCK WASHER B-Z/P 1/2"

NYLON INSERT LOCK NUT Z/P 1/2-13

NYLON SNAP-IN FINISHING PLUG 3/8"

Loosely Tighten





Item

40

78


		Step 11 Assembly List
Item	Qty.	Description
*22	1	TOP CROSS BRACE WITH CHIN UP BAR ASSEMBLY
25	4	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 5
35	8	FLAT WASHER SAE Z/P 3/8"
39	4	NYLON INSERT JAM LOCK NUT Z/P 3/8-16
78	6	NYLON SNAP-IN FINISHING PLUG 3/8"




70%




Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.















DANGER: Pay special attention to the **Weight Lift Bar Assembly (*20)** making sure both hooks engage uniformly and completely into each **Stopper Prong (#85)**. If both of the Weight Lift Bar Hooks are not engaging uniformly into the **Stopper Prongs (#85)**, it will be necessary to loosen some frame hardware then re-align the frame and re-tighten the hardware. If problem persists, **Do Not Use the Machine** and contact your TuffStuff Retailer or Customer Service (888) 884-8275.



Parts List

COLOR CHART

*BLACK BOLD = PRE-ASSEMBLED COMPONENTS BLACK BOLD = SUBASSEMBLY COMPONENTS


CSM-600 Parts List


BLA	ACK = HARDWARE							RE	EV0
ITEM	DESCRIPTION	REV.	PART NO.	QTY.	ITEM	DESCRIPTION	REV.	PART NO.	QTY.
1	BOTTOM SIDE FRAME LT	0	UP8180	1	49	LABEL-DANGER USE THIS EQUIPMENT ONLY		BNH2903	1
2	BOTTOM SIDE FRAME RT	0	UP8181	1	50	LABEL-IMPORTANT FOR SMOOTH PERFORMANCE		BNH2925	2
3	REAR SIDE SUPPORT LT	0	UP8182	1	51	LABEL-IMPORTANT FOR SMOOTH PERFORMANCE		BNH2916	2
4	REAR SIDE SUPPORT RT	0	UP8183	1	52	LABEL-INSPECTIONS RECOMMENDED INSPECTION		BNH3137	1
5	SELECTOR POST LT	0	UP8184	1	53	LABEL-SCHEDULE REPLACEMENT PARTS		BNH3135	1
6	SELECTOR POST RT	0	UP8185	1	54	LABEL-WARNING BAR CATCH LT, 2 X 4		BNH3143	1
7	BOTTOM CROSS BRACE	0	UP8186	1	55	TFI EMBLEM 1.88 HIGH X 1.98 WIDE BLUE AND CHRON	ИΕ	BNH4304	2
8	BAR HOLDER LT	0	UP8188	2	56	LABEL-WARNING KEEP BODY, HANDS, 1 1/2 X 2 1/4		BNH2908	2
10	SAFETY STOPPER LT	0	UP8189	1	57	LABEL-WARNING KEEP BODY, HANDS 1 1/2 X 2 5/8		BNH2909	2
11	SAFETY STOPPER RT	0	UP8190	1	58	LABEL-WARNING THE SMITH PRESS HOOKS MUST BE	≣	BNH3039	1
12	SAFETY STOPPER POST	0	UP8191	2	59	LABEL-WARNING THIS MACHINE IS DESIGNED TO BE.		BNH3037	2
13	SHAFT RETAINER PLATE	0	UP8192	2	60	LABEL-WARNING_SERIOUS INJURY OR DEATH		BNH3134	1
14	PRESS BAR HOUSING LT	0	UP8193	1	61	LABEL-WARRANTY LIGHT COMMERCIAL		BNH3136	1
15	PRESS BAR HOUSING RT	0	UP8194	1	62	LABEL-WARNING BAR CATCH RT, 2 X 4		BNH3144	1
16	LINEAR SHAFT 1 X 69 11/16	0	UP8195	2	63	URETHANE BUMPER 962		BNH0244	2
17	OLYMPIC ADAPTER 1 X 8 X 3 9/16 AXLE	0	UP8196	10	64	ABS SLEEVE 1 1/2 X 13		BNH2260	2
18	SAFETY STOPPER BRACKET LT	0	UP8197	1	65	ABS SLEEVE 1 1/2 X 8 1/8		BNH1527	10
19	SAFETY STOPPER BRACKET RT	0	UP8198	1	66	YELLOW GRIP 1/2 X 4		BNH3059	2
20	WEIGHT LIFT BAR	0	UP8199	1	67	BRONZE BUSHING Ø25 X Ø19 X 20 MM		BNH1926	2
21	OP CROSS BRACE 0		UP8200	1	68	BRONZE BUSHING Ø31 X Ø25.4 X Ø19 X 20 MM	NG Ø31 X Ø25.4 X Ø19 X 20 MM		2
22	TOP CROSS BRACE WITH CHIN UP BAR 0		UP8187	1	69	BUTTON HEAD SOCKET CAP SCREW Z/P 3/8-16 X 1 1/4	4	BNH2521	2
23	SWING LOCK J-HOOK (LCM) 0		UP8038	2	70	FLAT HEAD SOCKET CAP SCREW Z/P M6-1.0 X 20		BNH2174	6
24	RUBBER DONUT 1 X 2 1/2		BNH0062	4	71	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 1/4		BNH2038	32
25	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 5		BNH2051	4	72	SAFETY HOOK RT 0		UP7050	1
26	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3 1/2		BNH2107	2	73	SAFETY HOOK LT 0		UP7049	1
27	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3		BNH2046	8	74	INTERNAL RETAINING RING 1 9/16"	BNH0095	4	
28	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 3/4		BNH2045	4	75	LINEAR BEARING	BNH0770	4	
29	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 1/2		BNH2044	2	76	NYLON BUSHING 1 X 1 1/2 X 7/8 X 1 3/4 X 1/8		BNH0531	4
30	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 3/4		BNH2040	4		TORSION SPRING 21MM, 3MM WIRE, LCM		BNH4278	2
31	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3/4		BNH2036	4		NYLON SNAP-IN FINISHING PLUG 3/8"	BNH0720	20	
32	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 4 3/4		BNH2168	2		NYLON SPACER 10.5MM ID X 20MM OD X 10MM			2
33	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2		BNH2171	2		PLASTIC CORNER TUBE GLIDE 7/8 X 10 1/8		BNH2847	16
34	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/4		BNH2167	8		PLASTIC INSERT CAP 1 1/4" RD 11 GA		BNH0573	2
	FLAT WASHER SAE Z/P 3/8"		BNH2030	88		PLASTIC INSERT CAP 1 7/8" RD.		BNH0003	12
36	FLAT WASHER SAE Z/P 1/2"		BNH2031	16		PLASTIC INSERT CAP ELLIPTICAL 2 X 4		BNH1794	4
37	SPLIT LOCK WASHER Z/P 3/8"		BNH2032	36		ROLL PIN Z/P 1/4 X 9/16		BNH2090	4
38	SPLIT LOCK WASHER Z/P 1/2"		BNH2519	10		STOPPER PRONG	0	UP8201	32
39	NYLON INSERT JAM LOCK NUT Z/P 3/8-16		BNH2026	28		RUBBER FOOT FOR 6 X 4 1/4 PLATE		BNH1647	4
40	NYLON INSERT LOCK NUT Z/P 1/2-13		BNH2029	2		RUBBER WASHER 1 7/8 ID X 4 1/4 OD X 9/16 TK		BNH0933	12
41	HEX KEY ALLOY 3/32"		BNH0372	1		SAFETY SPOTTER PLASTIC STRIP 1 X 15		BNH4279	2
42	FACILITY SIGN BE ALERT! THE FITNESS EQUIPMENT		BNH3138	1		SHOULDER BOLT ALLOY 1/2 X 55MM		BNH4284	2
43	LABEL_TFI SERIAL NO. 2.5 X 1.5		BNH3147	1		SOCKET SET SCREW ALLOY 10-32 X 1/8		BNH0473	2
43		1 2/0		2				BNH0473	2
	LABEL DANGED CHECK PULL-PIN IS FULLY 1 1/2 X	1 3/0	BNH2912			PUSH PULL PIN 1/2 X 2 7/8 ASSEMBLY			
45	LABEL DANCER ENCACE SAFETY STORDER (DEV(1)		BNH3146	2		HEX KEY ALLOY 5/32"		BNH0373	1
46	LABEL DANGER ENGAGE SAFETY STOPPER (REV1)		BNH1848	2		HEX KEY ALLOY 4/4"		BNH0575	1
47	LABEL-DANGER SAFETY STOPS		BNH2904	2	94	HEX KEY ALLOY 1/4"		BNH0375	1
48	LABEL-DANGER SECURE BAR CATCH (SIZE 4 X 2)		BNH3003	1					

Parts List



Pre-Assembled Components											
ITEM	DESCRIPTION	REV.	PART NO.	QTY.	ITEM	DESCRIPTION	REV.	PART NO.	QTY.		
*1	BOTTOM SIDE FRAME LT ASSEMBLY	0	UP8180X1	1	*12	SAFETY STOPPER POST ASSEMBLY	0	UP8191X1	2		
*2	BOTTOM SIDE FRAME RT ASSEMBLY	0	UP8181X1	1	*14	PRESS BAR HOUSING LT ASSEMBLY	0	UP8193X1	1		
*3	REAR SIDE SUPPORT LT ASSEMBLY	0	UP8182X1	1	*15	PRESS BAR HOUSING RT ASSEMBLY	0	UP8194X1	1		
*4	REAR SIDE SUPPORT RT ASSEMBLY	0	UP8183X1	1	*17	OLYMPIC ADAPTER 1 X 8 X 3 9/16 AXLE ASSEMBLY	0	UP8196X1	10		
*8	BAR HOLDER LT ASSEMBLY	0	UP8188X1	1	*18	SAFETY STOPPER BRACKET LT ASSEMBLY	0	UP8197X1	1		
*9	BAR HOLDER RT ASSEMBLY	0	UP8188X2	1	*19	SAFETY STOPPER BRACKET RT ASSEMBLY	0	UP8198X1	1		
*10	SAFETY STOPPER LT ASSEMBLY	0	UP8189X1	1	*20	WEIGHT LIFT BAR ASSEMBLY	0	UP8199X1	1		
*11	SAFETY STOPPER RT ASSEMBLY	0	UP8190X1	1	*22	TOP CROSS BRACE WITH CHIN UP BAR ASSEMBLY		UP8187X1	1		





Pre-Assembled Components (*9) (8*) *10 *****11 (18)(*18)



N	0	t	е	S		



LIGHT COMMERCIAL WARRANTY

This warranty applies only in the United States to the products manufactured or distributed by TuffStuff Fitness International (TFI) under the TuffStuff brand name. TFI warrants to the original purchaser that TuffStuff equipment will be free from defects in material and workmanship. All warranty periods begin to run from the date of purchase to the original purchaser. The warranty and remedies set forth herein are conditioned upon proper storage, installation, use and maintenance and conformance with any recommendations of TFI. This warranty does not cover products not manufactured by TFI or products which are altered without the express written consent of TFI.

LIGHT COMMERCIAL WARRANTY:

TEN (10) Years: Structural main frames, welds, cams and

weight plates.

FIVE (5) Years: Pivot bearings, pulleys, bushings, guide rods

and gas shocks.

ONE (1) Year: Belts, linear bearings and pull-pin components.

All other parts not mentioned elsewhere in the warranty will expire one (1) year from the date of purchase to the original purchaser.

SIX (6) Months: Upholstery, cables, finish and rubber grips.

Light Commercial Use:

Light Commercial Warranty applies to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

HOME LIFETIME WARRANTY:

LIFETIME of the equipment while owned by the original purchaser (applies only to defects from manufacturer only).

This warranty does not cover:

- TuffStuff products sold for and used in a commercial or institutional environment.
- Any damage, failure or loss caused by accident, misuse, neglect, abuse, improper assembly, improper maintenance, or failure to follow instructions or warnings in the owner's manual and warning labels posted on the machines.
- 3. Use of the product in a manner for which it was not designed.
- 4. Original product that is altered, or the use of replacement parts and components of another manufacturer other than TuffStuff.

The obligation of TFI under this warranty is limited to repairing or replacing warranted defective parts as TFI may elect, at TFI's facility in Chino, California, without charge to the purchaser. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs on returned or replaced equipment to and from TFI's facility in Chino.

THE FOREGOING SHALL CONSTITUTE THE SOLE REMEDY OF THE PURCHASER AND THE SOLE LIABILITY OF TFI WITH REGARD TO WARRANTY. NO IMPLIED STATUTORY WARRANTY OR IMPLIED STATUTORY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL APPLY. IN NO EVENT, WHETHER AS A RESULT OF BREACH OF CONTRACT, WARRANTY, NEGLIGENCE OR OTHERWISE, SHALL TFI BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR REVENUE, LOSS OF USE OF EQUIPMENT, COST OF CAPITAL, COST OF SUBSTITUTION EQUIPMENT, DOWNTIME COST, OR CLAIMS OF CUSTOMERS OR PURCHASER FROM SUCH DAMAGE.

This written warranty is the final, complete and exclusive agreement of the parties with respect to the quality or performance of the equipment and no action for breach of this written warranty or any implied warranty shall be commenced more than one (1) year after the accrual of the cause of action. No modification of this warranty or waiver of its terms shall be binding on either party unless approved in writing by an authorized representative of the party. Contact TuffStuff Fitness International at 13971 Norton Avenue, Chino, CA 91710, before returning any defective equipment.

This warranty gives you specific legal rights and you may also have other rights, which may vary from state to state.

SERIAL#		
	Write your Serial number here for future reference	Purchase Date



TuffStuff Fitness International, Inc.